



6304ZZNR Bearing 2D drawings and 3D CAD models

NTN 6304ZZNR deep groove ball bearings

Bearing No. 6304ZZNR

Size	20x52x15 mm
Bore Diameter	20,000 mm
Outer Diameter	52,000 mm
Width	15,000 mm
d	20,000 mm
D	52,000 mm
B	15,000 mm
C	15,000 mm
Category	Single Row Ball Bearings
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	0.143
EAN	4547359011258
Product Group	B00308
Enclosure	2 Metal Shields
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	Yes
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C3-Loose
Inch - Metric	Metric
Long Description	20MM Bore; 52MM Outside Diameter; 15MM



TZR Bearing Machine Development Co.,...

	Outer Race Diameter; 2 Metal Shields; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; Yes Snap Ring; No Internal Special Features
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	http://www.ntnamerica.com
Manufacturer Item Number	6304ZZNR/2A
Weight / LBS	0.317
Outside Diameter	2.047 Inch 52 Millimeter
Outer Race Width	0.591 Inch 15 Millimeter
Bore	0.787 Inch 20 Millimeter
bore diameter:	20 mm
precision rating:	ISO Class 0
outside diameter:	52 mm
finish/coating:	Uncoated
overall width:	15 mm
bearing material:	High Carbon Chrome Steel
bore type:	Round
cage material:	Steel
closure type:	Double Shielded
inner ring width:	15 mm
row type & fill slot:	Single Row Non-Fill Slot
outer ring width:	15 mm
snap ring included:	With Snap Ring
maximum rpm (grease):	14000 rpm
internal clearance:	CN
fillet radius:	1.1 mm
operating temperature	-40 to 120 ° C



TZR?Bearing Machine Development Co.,...

range:	
maximum rpm:	17000 RPM
dynamic load capacity:	15900 N
series:	63
static load capacity:	7900 N
manufacturer product page:	Click here